

UNITED STATES PATENT AND TRADEMARK OFFICE

	IM
UNITED STATES DEPARTMENT OF C United States Patent and Trademark C Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov	Office

APPLICATION NO.	F	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/088,807		07/29/2002	James Duncan Morrison	CKFW-P01-008 2452 EXAMINER	
28120	7590	01/18/2006			
FISH & NE				AUDET, MAURY A	
ROPES & G		NAL PLACE		ART UNIT	PAPER NUMBER
BOSTON, 1	MA 021	02110-2624		1654	
				DATE MAILED: 01/18/2000	6

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Supplemental	10/088,807	MORRISON ET AL.	
Notice of Allowability	Examiner	Art Unit	
	 	1054	
	Maury Audet	1654	
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate communication is significant or communication in the communication is significant or communication in the communication is significant or communication.	this application. If not included unication will be mailed in due course.	THIS initiative
1. This communication is responsive to <u>05/12/2005</u> .			
2. The allowed claim(s) is/are 2,26-32,34,39 and 43-50.			
3. ☑ Acknowledgment is made of a claim for foreign priority ur a) ☑ All b) ☐ Some* c) ☐ None of the:	nder 35 U.S.C. § 119(a)-(d)	or (f).	
 Certified copies of the priority documents have 	e been received.		
Certified copies of the priority documents have	been received in Application	n No	
Copies of the certified copies of the priority do	cuments have been received	l in this national stage application fron	n the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file IENT of this application.	a reply complying with the requirement	nts
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			OF
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.		
(a) ☐ including changes required by the Notice of Draftspers		v (PTO-948) attached	
1) ☐ hereto or 2) ☐ to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or	in the Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the	ne drawings in the front (not the back) of R 1.121(d).	f
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATE	ERIAL must be submitted. Note the	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 □ Notice of In	formal Patent Application (PTO-152)	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🗌 Interview Si	ımmary (PTO-413),	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./ 98), 7. ⊠ Examiner's	Mail Date Amendment/Comment	

U.S. Patent and Trademark Office PTOL-37 (Rev. 7-05)

of Biological Material

Paper No./Mail Date _______

4. Examiner's Comment Regarding Requirement for Deposit

9. Other _____.

8.

Examiner's Statement of Reasons for Allowance

Application/Control Number: 10/088,807 Page 2

Art Unit: 1654

SUPPLEMENTAL EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes

and/or additions be unacceptable to applicant, an amendment may be filed as provided by

37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no

later than the payment of the issue fee.

IN THE CLAIMS

In claim 34, line 1, the numeral "33" has been deleted, and the numeral --2--

inserted therein.

Claims 43-45 and 47-49 have been rejoined.

Claim 39 is directed to an allowable product. Pursuant to the procedures set forth

in the Official Gazette notice dated March 26, 1996 (1184 O.G. 86), claims 43-45 and 47-

49, directed to the process of making or using the patentable product, previously

withdrawn from consideration as a result of a restriction requirement, claims 43-45 and

47-49 are now subject to being rejoined. Claims 43-45 and 47-49 are hereby rejoined and

fully examined for patentability under 37 CFR 1.104.

Since all claims previously withdrawn from consideration under 37 CFR 1.142

have been rejoined, the restriction requirement made in the Office action mailed on

02/07/2003 is hereby withdrawn.

Conclusion

Claims 2, 26-32, 34, 39, and 43-50 are allowed.

Art Unit: 1654

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Maury Audet whose telephone number is 571-272-0960. The examiner can normally be reached from 7:00 AM – 5:30 PM, off Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bruce Campell can be reached at 571-272-0974. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-1600.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197.

MA, 01/10/2006

BRUCE R. CAMPELL, PH.D SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600

Brun ampell